

PRODUCT CATALOGUE · COLLECTION 2027

Clinker brick slips

For facades, renovations and interiors
hena-ceramic.com

COLLECTION 2027

The character of solid brick. Ten millimetres thin.

Contents

HENA CERAMIC


Genuine fired-clay clinker brick slips, ten millimetres thin. Four collections, twenty-three colours and five formats, made for insulated facades, render, concrete and interior walls.

	Introduction		4
	The material		6
	Colours	23 colours	7
01	Urbana	7 colours · DF NF LF40	8
02	Petra	7 colours · L36	18
03	Vitrum	6 colours · LDF	28
04	Forma	3 colours · LDF LF40	38
	References		44
	Townhouse quarter		46
	Cube house		48
	Technical		50
	Formats and accessories		50
	Joints and installation		52
	Index		53

The character of solid brick. Ten millimetres thin.



A Hena Ceramic wall is fired clay, laid course by course with real joints, so it ages the way brickwork does. Because each slip is only ten millimetres thin, that wall can go where solid brick cannot: onto the insulation of a new facade, over the render of an old one, and onto interior walls.



TOWNHOUSE QUARTER

Fired clay, cut to the face.

A clinker brick slip is the visible face of a brick: real fired clay, with the colour, texture and natural variation of a solid brick, at ten millimetres thick. Laid with a grouted joint, it has the look of solid masonry.

Hena Ceramic slips are made for insulated facades (ETICS), for render and concrete, and for interior walls. Corner pieces are available for every format, so external corners have the look of solid brick too.

Every installation uses the Pevalit system: insulation, adhesive, grout and sealant made to work together with our clinker slips. That is how adhesion, frost resistance and a clean finish are secured on every facade. The Hena Ceramic product guarantee applies to installations made with the Pevalit system.



Courtyard residences · Forma Pulvis

10 mm
Thickness of every slip

<3 %
Water absorption — frost-resistant

5
Formats, with corner pieces

23
Colours in four collections

Twenty-three colours.

Every colour in the catalogue, by collection. Each is shown as photographed on a finished wall; fired clay varies naturally from slip to slip.

01 Urbana

Urban · Matte · DF / NF / LF40



Carbo
HC-URB-01 · p. 11



Saxum
HC-URB-02 · p. 12



Cinis
HC-URB-03 · p. 13



Arena
HC-URB-04 · p. 14



Talpa
HC-URB-05 · p. 15




Vanilla
HC-URB-06 · p. 16



Terra
HC-URB-07 · p. 17

02 Petra

Long format · Matte · L36



Ignis
HC-PET-01 · p. 21




Cortex
HC-PET-02 · p. 22



Mel
HC-PET-03 · p. 23




Nox
HC-PET-04 · p. 24



Aurora
HC-PET-05 · p. 25



Fumus
HC-PET-06 · p. 26



Silex
HC-PET-07 · p. 27

03 Vitrum

Glazed · LDF



Abies
HC-VIT-01 · p. 31



Oceanus
HC-VIT-02 · p. 32



Mentha
HC-VIT-03 · p. 33



Caementum
HC-VIT-04 · p. 34



Umbra
HC-VIT-05 · p. 35



Cremor
HC-VIT-06 · p. 36

04 Forma

Contemporary · Matte · LDF / LF40



Ferrum
HC-FOR-01 · p. 41



Argentum
HC-FOR-02 · p. 42



Pulvis
HC-FOR-03 · p. 43




01

URBAN

Urbana

Urbana brick slips have the irregular edges and lightly sanded face of traditional hand-moulded brick. Natural colour variation from slip to slip gives the finished wall depth and a classic masonry appearance, on facades and interior walls alike.



7 COLOURS



Carbo
HC-URB-01 · p. 11



Saxum
HC-URB-02 · p. 12

Cinis
HC-URB-03 · p. 13

Arena
HC-URB-04 · p. 14



Talpa
HC-URB-05 · p. 15

Vanilla
HC-URB-06 · p. 16



Terra
HC-URB-07 · p. 17

Hand-moulded clinker brick slips with a textured, sanded surface, in seven colours and three formats. Available in seven colours, from light Vanilla to dark Carbo, in the NF, DF and LF40 formats.

Type	Clinker brick slip
Surface	Matte
Formats	DF 240 × 52 NF 240 × 71 LF40 468 × 40
Thickness	10 mm

Carbo

Product page



Shown as: NF 240 × 71 mm

COLOUR RANGE



ALSO AVAILABLE AS



LF40

Code	HC-URB-01
Collection	Urbana (01)
Type	Clinker brick slip
Surface	Matte
Colour family	Black
Formats	240 × 71 mm NF 468 × 40 mm LF40
Thickness	10 mm
Online	hena-ceramic.com/en/products/urbana-0

Saxum

Product page



Shown as: NF 240 × 71 mm

COLOUR RANGE



ALSO AVAILABLE AS



DF



LF40

Code	HC-URB-02
Collection	Urbana (01)
Type	Clinker brick slip
Surface	Matte
Colour family	Grey
Formats	240 × 71 mm NF 240 × 52 mm DF 468 × 40 mm LF40
Thickness	10 mm
Online	hena-ceramic.com/en/products/urbana-1

Cinis

Product page



Shown as: NF 240 × 71 mm

COLOUR RANGE



ALSO AVAILABLE AS



LF40

Code	HC-URB-03
Collection	Urbana (01)
Type	Clinker brick slip
Surface	Matte
Colour family	White
Formats	240 × 71 mm NF 468 × 40 mm LF40
Thickness	10 mm
Online	hena-ceramic.com/en/products/urbana-2

Arena

Product page



Shown as: NF 240 × 71 mm

COLOUR RANGE



ALSO AVAILABLE AS



DF

Code	HC-URB-04
Collection	Urbana (01)
Type	Clinker brick slip
Surface	Matte
Colour family	White
Formats	240 × 71 mm NF 240 × 52 mm DF
Thickness	10 mm
Online	hena-ceramic.com/en/products/urbana-3

Talpa

Product page



Shown as: NF 240 × 71 mm

COLOUR RANGE



ALSO AVAILABLE AS



LF40

Code	HC-URB-05
Collection	Urbana (01)
Type	Clinker brick slip
Surface	Matte
Colour family	Beige
Formats	240 × 71 mm NF 468 × 40 mm LF40
Thickness	10 mm
Online	hena-ceramic.com/en/products/urbana-4

Vanilla

Product page



Shown as: LF40 468 × 40 mm

COLOUR RANGE

Code	HC-URB-06
Collection	Urbana (01)
Type	Clinker brick slip
Surface	Matte
Colour family	White
Formats	468 × 40 mm LF40
Thickness	10 mm
Online	hena-ceramic.com/en/products/urbana-5

Terra

Product page



Shown as: NF 240 × 71 mm

COLOUR RANGE



ALSO AVAILABLE AS



LF40

Code	HC-URB-07
Collection	Urbana (01)
Type	Clinker brick slip
Surface	Matte
Colour family	Brown
Formats	240 × 71 mm NF 468 × 40 mm LF40
Thickness	10 mm
Online	hena-ceramic.com/en/products/urbana-6



02

LONG FORMAT

Petra


Petra combines a slim 360 mm format with a brushed, multi-tone surface. Each blend mixes several fired shades, giving a new facade the character of established brickwork and a strong horizontal line.



7 COLOURS



Ignis
HC-PET-01 · p. 21



Cortex
HC-PET-02 · p. 22



Mel
HC-PET-03 · p. 23



Nox
HC-PET-04 · p. 24



Aurora
HC-PET-05 · p. 25



Fumus
HC-PET-06 · p. 26




Silex
HC-PET-07 · p. 27

Long-format clinker brick slips (360 × 52 mm) with a weathered, multi-tone surface, in seven colour blends. Seven colour blends, from warm red Ignis to light Aurora and dark Nox.

Type	Clinker brick slip
Surface	Matte
Formats	L36 360 × 52
Thickness	10 mm

Ignis

Product page



Shown as: L36 360 × 52 mm

COLOUR RANGE



Code	HC-PET-01
Collection	Petra (02)
Type	Clinker brick slip
Surface	Matte
Colour family	Red
Formats	360 × 52 mm L36
Thickness	10 mm
Online	hena-ceramic.com/en/products/petra-0

Cortex

Product page



Shown as: L36 360 × 52 mm


COLOUR RANGE



Code	HC-PET-02
Collection	Petra (02)
Type	Clinker brick slip
Surface	Matte
Colour family	Brown
Formats	360 × 52 mm L36
Thickness	10 mm
Online	hena-ceramic.com/en/products/petra-1

Mel

Product page



Shown as: L36 360 × 52 mm


COLOUR RANGE



Code	HC-PET-03
Collection	Petra (02)
Type	Clinker brick slip
Surface	Matte
Colour family	Beige
Formats	360 × 52 mm L36
Thickness	10 mm
Online	hena-ceramic.com/en/products/petra-2

Nox

Product page



Shown as: L36 360 × 52 mm


COLOUR RANGE



Code	HC-PET-04
Collection	Petra (02)
Type	Clinker brick slip
Surface	Matte
Colour family	Black
Formats	360 × 52 mm L36
Thickness	10 mm
Online	hena-ceramic.com/en/products/petra-3

Aurora

Product page



Shown as: L36 360 × 52 mm

COLOUR RANGE



Code	HC-PET-05
Collection	Petra (02)
Type	Clinker brick slip
Surface	Matte
Colour family	White
Formats	360 × 52 mm L36
Thickness	10 mm
Online	hena-ceramic.com/en/products/petra-4

Fumus

Product page



Shown as: L36 360 × 52 mm


COLOUR RANGE



Code	HC-PET-06
Collection	Petra (02)
Type	Clinker brick slip
Surface	Matte
Colour family	Grey
Formats	360 × 52 mm L36
Thickness	10 mm
Online	hena-ceramic.com/en/products/petra-5

Silex

Product page



Shown as: L36 360 × 52 mm

COLOUR RANGE



Code	HC-PET-07
Collection	Petra (02)
Type	Clinker brick slip
Surface	Matte
Colour family	Grey
Formats	360 × 52 mm L36
Thickness	10 mm
Online	hena-ceramic.com/en/products/petra-6



03

GLAZED

Vitrum

Vitrum brick slips are finished with a fired glaze. The glossy surface reflects light, resists dirt and is easy to clean, which makes it well suited to entrances, feature walls and accent areas on a facade.



6 COLOURS

Abies
HC-VIT-01 · p. 31

Oceanus
HC-VIT-02 · p. 32

Mentha
HC-VIT-03 · p. 33

Caementum
HC-VIT-04 · p. 34

Umbra
HC-VIT-05 · p. 35

Cremor
HC-VIT-06 · p. 36

Glazed clinker brick slips with a glossy, easy-to-clean surface, in six colours. Six colours, from deep Oceanus blue and Abies green to neutral Cremor and Caementum.

Type	Clinker brick slip
Surface	Glazed
Formats	LDF 290 × 52
Thickness	10 mm

Abies

Product page



Shown as: LDF 290 × 52 mm

COLOUR RANGE



Code	HC-VIT-01
Collection	Vitrum (03)
Type	Clinker brick slip
Surface	Glazed
Colour family	Green
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/vitrum-0

Oceanus

Product page



Shown as: LDF 290 × 52 mm


COLOUR RANGE



Code	HC-VIT-02
Collection	Vitrum (03)
Type	Clinker brick slip
Surface	Glazed
Colour family	Blue
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/vitrum-1

Mentha

Product page



Shown as: LDF 290 × 52 mm

COLOUR RANGE



Code	HC-VIT-03
Collection	Vitrum (03)
Type	Clinker brick slip
Surface	Glazed
Colour family	Green
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/vitrum-2

Caementum

Product page



Shown as: LDF 290 × 52 mm


COLOUR RANGE



Code	HC-VIT-04
Collection	Vitrum (03)
Type	Clinker brick slip
Surface	Glazed
Colour family	Grey
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/vitrum-3

Umbra

Product page



Shown as: LDF 290 × 52 mm

COLOUR RANGE



Code	HC-VIT-05
Collection	Vitrum (03)
Type	Clinker brick slip
Surface	Glazed
Colour family	Brown
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/vitrum-4

Cremor

Product page



Shown as: LDF 290 × 52 mm

COLOUR RANGE



Code	HC-VIT-06
Collection	Vitrum (03)
Type	Clinker brick slip
Surface	Glazed
Colour family	White
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/vitrum-5





04


CONTEMPORARY

Forma


Forma has an even surface and consistent colour, for a calm and precise facade. It suits contemporary architecture and combines well with render, timber and metal.




3 COLOURS



Ferrum
HC-FOR-01 · p. 41



Argentum
HC-FOR-02 · p. 42



Pulvis
HC-FOR-03 · p. 43

Clinker brick slips with an even, fine-textured surface, in three neutral colours. Three neutral colours: dark Ferrum, mid-grey Argentum and light Pulvis, in the LDF and LF40 formats.

Type	Clinker brick slip
Surface	Matte
Formats	LDF 290 × 52 LF40 468 × 40
Thickness	10 mm

Ferrum

Product page



Shown as: LDF 290 × 52 mm

COLOUR RANGE



Code	HC-FOR-01
Collection	Forma (04)
Type	Clinker brick slip
Surface	Matte
Colour family	Black
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/forma-0

Argentum

Product page



Shown as: LDF 290 × 52 mm

COLOUR RANGE



Code	HC-FOR-02
Collection	Forma (04)
Type	Clinker brick slip
Surface	Matte
Colour family	Grey
Formats	290 × 52 mm LDF
Thickness	10 mm
Online	hena-ceramic.com/en/products/forma-1

Pulvis

Product page



Shown as: LDF 290 × 52 mm

COLOUR RANGE



ALSO AVAILABLE AS



LF40

Code	HC-FOR-03
Collection	Forma (04)
Type	Clinker brick slip
Surface	Matte
Colour family	Beige
Formats	290 × 52 mm LDF 468 × 40 mm LF40
Thickness	10 mm
Online	hena-ceramic.com/en/products/forma-2

REFERENCES

Built with Hena Ceramic.

Two projects and the slips they are clad in.





COURTYARD RESIDENCES
Forma Pulvis



REFERENCE 01

Townhouse quarter

Warm brick for a whole neighbourhood.

Type	Residential quarter
Completed	2021
Area clad	2,864 m²
Product	Urbana Talpa, NF — p. 15





Cube house

Long lines for contemporary houses.

Type	Private house
Completed	2021
Area clad	225 m²
Product	Forma Pulvis, LF40 — p. 43




Formats and accessories.

All slips are 10 mm thin. Corner pieces are available for every format, for the look of solid brick at external corners. Pieces per m² are calculated with a 10 mm joint; always add a cutting allowance.


DF

240 × 52 × 10 mm




NF

240 × 71 × 10 mm




LDF

290 × 52 × 10 mm




L36

360 × 52 × 10 mm



LF40

468 × 40 × 10 mm




Drawn to scale 1:3 · dimensions in mm

Slips

	 DF	 NF	 LDF	 L36	 LF40
Size (mm)	240 × 52 × 10	240 × 71 × 10	290 × 52 × 10	360 × 52 × 10	468 × 40 × 10
Unit	m²	m²	m²	m²	m²
Pieces / m², incl. 10 mm joint	64	48	53	43	41
kg / piece	0.283	0.385	0.341	—*	0.427
kg / m²	18.10	18.50	18.05	—*	17.50
Pieces / pack	29	29	24	—*	23
m² / pack	0.453	0.604	0.453	—*	0.561
Packs / pallet	132	110	132	—*	112
m² / pallet	59.81	66.46	59.77	—*	62.83

* L36: weight and packaging to be confirmed. kg / piece, m² / pack and m² / pallet are calculated from the figures above.

Corner pieces

	 71 mm	 52 mm	 40 mm
Size (mm)	240 × 115 × 71 × 10	240 × 115 × 52 × 10	240 × 115 × 40 × 10
For	NF	DF · LDF · L36	LF40
Unit	piece	piece	piece

Corner pieces for every face height. Other corner sizes and special shapes on request.

Prices on request.



Cube house · Forma Pulvis

Joints and installation.

Joints are filled with Pevalit grout in seven colours, chosen with your slip, at a consistent width of about 10–12 mm.



White | Light grey | Cement grey | Anthracite | Black | Sand beige | Brown

Installation in six steps

01

Prepare the substrate

The surface must be dry, even, load-bearing and free of dust and release agents. Level uneven walls with Pevalit plaster.

02

Set out the bond

Mark horizontal courses and plan corners, openings and movement joints. Mix slips from several packs for an even natural shading.

03

Apply Pevalit adhesive

Comb the adhesive onto the wall with a notched trowel and butter the back of each slip — full contact, no voids.

04

Lay slips and corners

Start with corner pieces, then lay courses with a consistent joint of about 10–12 mm.

05

Grout with Pevalit

Once the adhesive has set, fill joints with Pevalit grout, compact and strike flush or slightly recessed.

06

Seal movement joints

Close movement joints and window and door connections with Pevalit silicone sealant.

Index

Colour	Collection	Code	Page
Abies	Vitrum	HC-VIT-01	31
Arena	Urbana	HC-URB-04	14
Argentum	Forma	HC-FOR-02	42
Aurora	Petra	HC-PET-05	25
Caementum	Vitrum	HC-VIT-04	34
Carbo	Urbana	HC-URB-01	11
Cinis	Urbana	HC-URB-03	13
Cortex	Petra	HC-PET-02	22
Cremor	Vitrum	HC-VIT-06	36
Ferrum	Forma	HC-FOR-01	41
Fumus	Petra	HC-PET-06	26
Ignis	Petra	HC-PET-01	21
Mel	Petra	HC-PET-03	23
Mentha	Vitrum	HC-VIT-03	33
Nox	Petra	HC-PET-04	24
Oceanus	Vitrum	HC-VIT-02	32
Pulvis	Forma	HC-FOR-03	43
Saxum	Urbana	HC-URB-02	12
Silex	Petra	HC-PET-07	27
Talpa	Urbana	HC-URB-05	15
Terra	Urbana	HC-URB-07	17
Umbra	Vitrum	HC-VIT-05	35
Vanilla	Urbana	HC-URB-06	16

Technical documents (Declaration of Performance, test report, EPD, formats & bonds) are available at hena-ceramic.com/en/downloads (in German).

Talk to us about your facade.

Technical advice, quotes and samples at hena-ceramic.com





TWO-TONE RESIDENCES
Urbana Talpa, Urbana Carbo



Photo: Light-brick residences

HENA CERAMIC

Genuine fired-clay clinker brick slips for facades, renovations and interiors.

CONTACT

Hena Ceramic
Street and number
Postcode, city, country
Telephone
Email

ONLINE

hena-ceramic.com

Colours are reproduced as faithfully as printing allows. Fired clay varies naturally; please judge colour from a sample.
Specifications may change without notice.

© 2027 Hena Ceramic. All rights reserved.
Collection 2027